



# 中国国家强制性产品认证证书

证书编号：2024010907602681

认证委托人名称及地址  
全汉企业股份有限公司  
台湾桃园市桃园区建国东路 22 号

生产者名称及地址  
全汉企业股份有限公司  
台湾桃园市桃园区建国东路 22 号

生产企业名称及地址  
深圳辉力电子有限公司  
深圳市宝安区新安街道布心社区 73 区流塘路 352 号辉力厂 C4 栋 101 至 301、C5-C11 栋

产品名称和系列、型号、规格  
开关电源供应器  
见附页（仅适用于海拔 5000 米及以下；电线组件为可选）

产品标准和技术要求  
GB 17625.1-2022; GB 4943.1-2022; GB/T 9254.1-2021  
上述产品符合《强制性产品认证实施规则 电子产品及安全附件》  
(CNCA-C09-01:2023) 的要求，特发此证。

发证日期：2024 年 01 月 15 日 有效期至：2029 年 01 月 14 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，  
也可在认监委网站（[www.cnca.gov.cn](http://www.cnca.gov.cn)）查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心





# 中国国家强制性产品认证证书

证书编号: 2024010907602681

证书附页: 第 1 页 共 1 页

(1) VITA-850GM

交流输入: 200-240V~, 5.5A, 50-60Hz;

直流输出: +3.3V/20A, +5V/20A, +12V/70.83A, -12V/0.3A, +5Vsb/3.0A,  
(+3.3V&+5V=100W Max) (+12V=850W Max), (-12V=3.6W Max), (+5Vsb=15W Max) 额  
定功率 850W;

(2) FSP850-57AGC

交流输入: 200-240V~, 5.5A, 50-60Hz;

直流输出: +3.3V/20A, +5V/20A, +12V/70.83A, -12V/0.3A, +5Vsb/3.0A,  
(+3.3V&+5V=100W Max) (+12V=850W Max), (-12V=3.6W Max), (+5Vsb=15W Max) 总  
输出不可持续超过 850W;

(3) VITA-1000GM

输入: 200-240V~, 6A, 50-60Hz;

直流输出: +3.3V/20A, +5V/20A, +12V/83.33A, -12V/0.3A, +5Vsb/3.0A,  
(+3.3V&+5V=100W Max) (+12V=1000W Max), (-12V=3.6W Max), (+5Vsb=15W Max) 额  
定功率 1000W;

(4) FSP1000-57AGC

输入: 200-240V~, 6A, 50-60Hz;

直流输出: +3.3V/20A, +5V/20A, +12V/83.33A, -12V/0.3A, +5Vsb/3.0A,  
(+3.3V&+5V=100W Max) (+12V=1000W Max), (-12V=3.6W Max), (+5Vsb=15W Max) 总  
输出不可持续超过 1000W;

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

**CERTIFICATE NO.:** 2024010907602681

**NAME AND ADDRESS OF THE APPLICANT**

FSP Group Inc.  
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan,China

**NAME AND ADDRESS OF THE MANUFACTURER**

FSP Group Inc.  
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan,China

**NAME AND LOCATION OF THE FACTORY**

ShenZhen HuiLi Electronics CO.,LTD  
Building C4 ( 101~301 ) -C11, No. 352, LiuTang Rd., County 73, Bu'Xin Village, Xin'an, Bao'an,  
Shenzhen, Guangdong, China

**PRODUCT NAME,MODEL AND SPECIFICATION**

Switching Power Adapter  
See Appendix ( Altitude up to 5000m ; Cord sets are optional )

**STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB 17625.1-2022;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of  
implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

**Valid from:** Jan.15,2024

**Valid until:** Jan.14,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to  
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



**SIGNATURE:**

谢肇煦



**中国质量认证中心**  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE





## CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2024010907602681

Appendix: Page 1 of 1

(1) VITA-850GM,  
AC INPUT: 200-240V~, 5.5A, 50-60Hz,  
DC OUTPUT: +3.3V/20A, +5V/20A, +12V/70.83A, -12V/0.3A, +5Vsb/3.0A,  
(+3.3V&+5V=100W Max)(+12V=850W Max),(-12V=3.6W Max),(+5Vsb=15W  
Max), Total Power 850W;

(2) FSP850-57AGC,  
AC INPUT: 200-240V~, 5.5A, 50-60Hz,  
DC OUTPUT: +3.3V/20A, +5V/20A, +12V/70.83A, -12V/0.3A, +5Vsb/3.0A,  
(+3.3V&+5V=100W Max)(+12V=850W Max),(-12V=3.6W Max),(+5Vsb=15W  
Max), Total output continuous shall not exceed 850W;

(3) VITA-1000GM,  
AC INPUT: 200-240V~, 6A, 50-60Hz,  
DC OUTPUT: +3.3V/20A, +5V/20A, +12V/83.33A, -12V/0.3A, +5Vsb/3.0A,  
(+3.3V&+5V=100W Max)(+12V=1000W Max),(-12V=3.6W Max),(+5Vsb=15W  
Max), Total Power 1000W;

(4) FSP1000-57AGC,  
AC INPUT: 200-240V~, 6A, 50-60Hz,  
DC OUTPUT: +3.3V/20A, +5V/20A, +12V/83.33A, -12V/0.3A, +5Vsb/3.0A,  
(+3.3V&+5V=100W Max)(+12V=1000W Max),(-12V=3.6W Max),(+5Vsb=15W  
Max), Total output continuous shall not exceed 1000W;

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation