



中国国家强制性产品认证证书

证书编号：2024010907600844

认证委托人名称及地址

全汉企业股份有限公司
台湾桃园市桃园区建国东路 22 号

生产者名称及地址

全汉企业股份有限公司
台湾桃园市桃园区建国东路 22 号

生产企业名称及地址

深圳辉力电子有限公司
深圳市宝安区新安街道布心社区 73 区流塘路 352 号辉力厂 C4 栋 101 至 301、C5-C11 栋

产品名称和系列、型号、规格

开关电源供应器

见附页(电线组件可选，仅适用于海拔 5000 米及以下)

产品标准和技术要求

GB 17625.1-2022; GB 4943.1-2022; GB/T 9254.1-2021

上述产品符合《强制性产品认证实施规则 电子产品及安全附件》
(CNCA-C09-01:2023) 的要求，特发此证。

发证日期：2024 年 01 月 09 日 有效期至：2029 年 01 月 08 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，
也可在认监委网站 (www.cnca.gov.cn) 查询。

经中国合格评定国家认可委员会认可 CNAS C001-P



签发：

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2024010907600844

证书附页: 第 1 页 共 1 页

1) FSP750-57AWB

交流输入: 100-240Vac, 10.0-5.0A, 50-60Hz;

直流输出: +3.3Vdc/20.0A, +5Vdc/20.0A, +12Vdc/62.5A, -12Vdc/0.3A,
+5Vsb/3.0A, +3.3Vdc/5Vdc 最大输出功率 100W; 总输出不可持续超过 750W;

2) FSP650-57AWB

交流输入: 100-240Vac, 8.0-4.0A, 50-60Hz;

直流输出: +3.3Vdc/20.0A, +5Vdc/20.0A, +12Vdc/54.17A, -12Vdc/0.3A,
+5Vsb/3.0A, +3.3Vdc/5Vdc 最大输出功率 100W; 总输出不可持续超过 650W;

3) ADVAN-750GM

交流输入: 100-240Vac, 10-5A, 50-60Hz;

直流输出: +3.3Vdc/20A, +5Vdc/20A, +12Vdc/62.5A,
-12Vdc/0.3A, +5Vsb/3.0A, +3.3Vdc/5Vdc 最大功率 100W; 额定功率 750W;

4) ADVAN-650GM

交流输入: 100-240Vac, 8-4A, 50-60Hz;

直流输出: +3.3Vdc/20A, +5Vdc/20A, +12Vdc/54.17A,
-12Vdc/0.3A, +5Vsb/3.0A, +3.3Vdc/5Vd 最大功率 100W; 额定功率 650W;

(电线组件可选, 仅适用于海拔 5000 米及以下)

本页为证书附页, 应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024010907600844

NAME AND ADDRESS OF THE APPLICANT

FSP Group Inc.
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

NAME AND ADDRESS OF THE MANUFACTURER

FSP Group Inc.
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

NAME AND LOCATION OF THE FACTORY

ShenZhen HuiLi Electronics CO.,LTD
Building C4 (101~301) -C11, No. 352, LiuTang Rd., County 73, Bu'Xin Village, Xin'an, Bao'an,
Shenzhen, Guangdong, China

PRODUCT NAME,MODEL AND SPECIFICATION

Switching Power Supply
See appendix (Optional cord set, Altitude up to 5000m)

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

Valid from: Jan.09,2024

Valid until: Jan.08,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2024010907600844

Appendix: Page 1 of 1

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

1) FSP750-57AWB

交流输入: 100-240Vac, 10.0-5.0A, 50-60Hz;

直流输出: +3.3Vdc/20.0A, +5Vdc/20.0A, +12Vdc/62.5A, -12Vdc/0.3A,
+5Vsb/3.0A, +3.3Vdc/5Vdc 最大输出功率 100W;总输出不可持续超过 750W;

2) FSP650-57AWB

交流输入: 100-240Vac, 8.0-4.0A, 50-60Hz;

直流输出: +3.3Vdc/20.0A, +5Vdc/20.0A, +12Vdc/54.17A, -12Vdc/0.3A,
+5Vsb/3.0A, +3.3Vdc/5Vdc 最大输出功率 100W;总输出不可持续超过 650W;

3) ADVAN-750GM

交流输入: 100-240Vac, 10-5A, 50-60Hz;

直流输出: +3.3Vdc/20A, +5Vdc/20A, +12Vdc/62.5A,
-12Vdc/0.3A, +5Vsb/3.0A, +3.3Vdc/5Vdc 最大功率 100W;额定功率 750W;

4) ADVAN-650GM

交流输入: 100-240Vac, 8-4A, 50-60Hz;

直流输出: +3.3Vdc/20A, +5Vdc/20A, +12Vdc/54.17A,
-12Vdc/0.3A, +5Vsb/3.0A, +3.3Vdc/5Vd 最大功率 100W; 额定功率 650W;
(电线组件可选, 仅适用于海拔 5000 米及以下)

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE