









3 圖面修正

NOTE:
1. ALL THE LENGTH OF OUTPUT
WIRES EXCLUDE HOUSING.

P/N.:9PA12A0900

MODEL NO. : FSP1200-50AAG	TITLE: ASSY	SHEET: 1 OF 3	REV:02
R&D(2)	PE	DRAWN	DATE
INTERIOR COUNTERSIGN:		周書宇	MAR.20.2020

UNIT:mm



UNIT:mm

MODEL NO. : FSP1200-50AAG

TITLE: ASSY

SHEET: 2 OF 3 REV:03

P/N.:9PA12A0900

REF. ID.	PIN NO.	SIGNAL	WIRE COLOR	GAUGE	CONNECTOR TYPE	CABLE LENGTH
P1 P2 P3 P4 P5 P6 P7 P8 P9	1	+3.3VDC	ORANGE	18	WST P20-142002K11D+ P4-142002K11D or EQUIV.	650±15mm
	2	+3.3VDC	ORANGE	18		
	3	COM	BALCK	18		
	4	+5V	RED	18		
	5	COM	BALCK	18		
	6	+5V	RED	18		
	7	COM	BALCK	18		
	8	PW-OK	GRAY	22		
	9	+5Vsb	PURPLE	18		
	10	+12V2	YELLOW	18		
	11	+12V2	YELLOW	18		
	12	+12Vsense	YELLOW	22		
	13	+3.3VDC	ORANGE	18		
	14	+3.3Vsense	BROWN	22		
	15	-12VDC	BLUE	22		
	16	COM	BALCK	18		
	17	PS-ON	GREEN	22		
	18	COM	BALCK	18		
	19	COM	BALCK	18		
	20					
	21	+5V	RED	18		
	22	+5V	RED	18		
	23	+5V	RED	18		
	24	COM	BALCK	18		
P2 P3 P4 P5 P6	1	COM	BALCK	18	WST P4-P4-142002K3B+ P4-142002K3B+ P4-142002K4B or EQUIV.	650±15mm
	2	COM	BALCK	18		
	3	COM	BALCK	18		
	4	COM	BALCK	18		
	5	+12V	YELLOW	18		
	6	+12V	YELLOW	18		
	7	+12V	YELLOW	18		
	8	+12V	YELLOW	18		
	1	+12V	YELLOW	18		
	2	+12V	YELLOW	18		
	3	+12V	YELLOW	18		
	4	COM	BALCK	18		
P7 P8 P9	5	COM	BALCK	18	WST P8-142002 K21B-B or EQUIV. (Black)	650±15mm
	6	COM	BALCK	18		
	7	COM	BALCK	18		
	8	COM	BALCK	18		
	1	+12V	YELLOW	18		
	2	+12V	YELLOW	18		
	3	+12V	YELLOW	18		
	4	COM	BALCK	18		
P7 P8 P9	5	COM	BALCK	18	WST P8-142002 K21B-B or EQUIV. (Black)	650±15mm
	6	COM	BALCK	18		
	7	COM	BALCK	18		
	8	COM	BALCK	18		

REF. ID.	PIN NO.	SIGNAL	WIRE COLOR	GAUGE	CONNECTOR TYPE	CABLE LENGTH
P10 P14 P18 P22	1	+3.3VDC	ORANGE	18	MOLEX SD-67582 -001 or EQUIV.	500±15mm
	2	COM	BALCK	18		
	3	+5V	RED	18		
	4	COM	BALCK	18		
	5	+12V	YELLOW	18		
	1	+3.3VDC	ORANGE	18		
	2	COM	BALCK	18		
	3	+5V	RED	18		
	4	COM	BALCK	18		
	5	+12V	YELLOW	18		
	1	+3.3VDC	ORANGE	18		
	2	COM	BALCK	18		
P15 P16 P17 P19 P20 P21	3	COM	RED	18	MOLEX SD-67582 -001 or EQUIV.	100±10mm
	4	COM	BALCK	18		
	5	+12V	YELLOW	18		
	1	+3.3VDC	ORANGE	18		
	2	COM	BALCK	18		
	3	+5V	RED	18		
	4	COM	BALCK	18		
	5	+12V	YELLOW	18		
	1	+3.3VDC	ORANGE	18		
	2	COM	BALCK	18		
	3	+5V	RED	18		
	4	COM	BALCK	18		
P23 P24 P25	2	COM	BALCK	18	MOLEX SD-67582 -001 or EQUIV.	100±10mm
	3	+5V	RED	18		
	4	COM	BALCK	18		
	5	+12V	YELLOW	18		
	5	+12V	YELLOW	18		

REF. ID.	PIN NO.	SIGNAL	WIRE COLOR	GAUGE	CONNECTOR TYPE	CABLE LENGTH
P26 P30 P34 P38	1	+12V	YELLOW	18	AMP 1-480424-0 or EQUIV.	500±15mm
	2	COM	BALCK	18		
	3	COM	BALCK	18		
	4	+5V	RED	18		
	1	+12V	YELLOW	18		
	2	COM	BALCK	18		
	3	COM	BALCK	18		
	4	+5V	RED	18		
	1	+12V	YELLOW	18		
	2	COM	BALCK	18		
	3	COM	BALCK	18		
	4	+5V	RED	18		
P31 P32 P33 P35 P36 P39 P40	1	+12V	YELLOW	18	AMP 1-480424-0 or EQUIV.	100±10mm
	2	COM	BALCK	18		
	3	COM	BALCK	18		
	4	+5V	RED	18		
	1	+12V	YELLOW	18		
	2	COM	BALCK	18		
	3	COM	BALCK	18		
	4	+5V	RED	18		
	1	+12V	YELLOW	18		
	2	COM	BALCK	18		
	3	COM	BALCK	18		
	4	+5V	RED	18		
P37 P41	1	+5V	RED	22	AMP 171822-4 or EQUIV.	100±10mm
	2	COM	BALCK	22		
P37 P41	3	COM	BALCK	22	AMP 171822-4 or EQUIV.	100±10mm
	4	+12V	YELLOW	22		